



HIKAN

کاتالوگ محصولات هیکان

WWW.HIKANIRAN.COM



HIKAN

AHD CAMERA



HK-AHC-BW2732DE

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/3DNR
WARMLIGHT
18.5CM*7CM*6CM/DC12V



HK-AHC-BW2732B

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/2DNR/3DNR
WARMLIGHT
16CM*7CM*6CM/DC12V



(BIG CASE)

HK-AHC-BW2865B

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/BIG CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/2DNR/3DNR
WARMLIGHT
31CM*9CM*8CM/DC12V



HK-AHC-DW2706B

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/2DNR/3DNR
WARMLIGHT
10.5CM*10.5CM*6CM/DC12V



AHD CAMERA



HK-AHC-BW2732EA

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
WARMLIGHT
16CM*7CM*6CM/DC12V



HK-AHC-DW2706EA

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
WARMLIGHT
10.5CM*10.5CM*6CM/DC12V



HK-AHC-DW2705EA

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
WARMLIGHT
10.5CM*10.5CM*6CM/DC12V



WWW.HIKANIRAN.COM

HIKAN

AHD CAMERA



HK-AHC-D2704EAP1

RESOLUTION : 2 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
PLASTIC/MEDIUM CASE
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
9CM*9CM*6.5CM/DC12V



HK-AHC-BW5732H

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/DNR
WARMLIGHT
16CM*7CM*6CM/DC12V



(BIG CASE)

HK-AHC-BW5865H

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/BIG CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/DNR
WARMLIGHT
31CM*9CM*8CM/DC12V



HK-AHC-DW5706H

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/DNR
WARMLIGHT
10.5CM*10.5CM*6CM/DC12V



AHD CAMERA



HK-AHC-DW5703H

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
PLASTIC/MEDIUM CASE
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/DNR
WARMLIGHT
10.5CM*10.5CM*8.5CM/DC12V



HK-AHC-D5704HP1

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
PLASTIC/MEDIUM CASE
OSD MENU BY UTC(4 IN 1)
DWDR/FLC/BLC/DNR
9CM*9CM*6.5CM/DC12V



WWW.HIKANIRAN.COM

AHD CAMERA



HK-AHC-BW5732RA

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
WARMLIGHT
16CM*7CM*6CM/DC12V



(BIG CASE)

HK-AHC-BW5865RA

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/BIG CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
WARMLIGHT
31CM*9CM*8CM/DC12V



HK-AHC-DW5706RA

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
WARMLIGHT
10.5CM*10.5CM*6CM/DC12V



HK-AHC-DW5703RA

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
PLASTIC/MEDIUM CASE
OSD MENU BY UTC(4 IN 1)
DWDR/BLC/2DNR/AUDIO
WARMLIGHT
10.5CM*10.5CM*8.5CM/DC12V



IP CAMERA



HK-IPC-BW4743TAP

RESOLUTION : 4 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AI(IVS-SMD)
ANTIFLICKE/H265/H265+/POE
HUMAN-VEHICLE DETECTION/AUDIO
15.5CM*6CM*6CM/DC12V



HK-IPC-DW4706TAP

RESOLUTION : 4 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AI(IVS-SMD)
ANTIFLICKE/H265/H265+/POE
HUMAN-VEHICLE DETECTION/AUDIO
10.5CM*10.5CM*6CM/DC12V



HK-IPC-BW5760XA

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AUDIO
ANTIFLICKE/WDR/H265
HUMAN-MOTION DETECTION
18.5CM*7CM*6CM/DC12V



HK-IPC-BW5745XAP

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AUDIO
ANTIFLICKE/WDR/H265/POE
HUMAN-MOTION DETECTION
16.5CM*6.5CM*6CM/DC12V



IP CAMERA



HK-IPC-DW5706XAP

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AUDIO
ANTIFLICKE/WDR/H265/POE
HUMAN-MOTION DETECTION
10.5CM*10.5CM*6CM/DC12V



HK-IPC-DW5703XAP

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
PLASTIC/MEDIUM CASE
WARMLIGHT/AUDIO
ANTIFLICKE/WDR/H265/POE
HUMAN-MOTION DETECTION
10.5CM*10.5CM*8.5CM/DC12V



HK-IPC-BW5760SA

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AUDIO
3DNR/H265
DEFENSER AREA/LIGHT ALARM
HUMAN-MOTION DETECTION
18.5CM*7CM*6CM/DC12V



IP CAMERA



HK-IPC-BW5760SAP

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AUDIO
3DNR/H265/POE
DEFENSER AREA/LIGHT ALARM
HUMAN-MOTION DETECTION
18.5CM*7CM*6CM/DC12V



(BIG CASE)

HK-IPC-BW5860SAP

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/BIG CASE/IP67
WARMLIGHT/AUDIO
3DNR/H265/POE
DEFENSER AREA/LIGHT ALARM
HUMAN-MOTION DETECTION
30CM*9CM*8.5CM/DC12V



HK-IPC-DW5706SAP

RESOLUTION : 5 MEGAPIXEL 20FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
WARMLIGHT/AUDIO
3DNR/H265/POE
DEFENSER AREA/LIGHT ALARM
HUMAN-MOTION DETECTION
10.5CM*10.5CM*6CM/DC12V



HK-IPC-BW5735UAP

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
BLC/HLC/HDR/2DNR/H265/H265+
WDR/DEFOGGING/WARMLIGHT/POE
AUDIO/ANTIFLICKER/INTELLIGENT
HUMAN-VEHICLE DETECTION
19CM*7CM*6.5CM/DC12V



IP CAMERA



HK-IPC-BU5760UAP

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/MEDIUM CASE/IP67
BLC/HLC/HDR/2DNR/H265/H265+
WDR/DEFOGGING/DUAL LIGHT/POE
AUDIO/ANTIFLICKER/INTELLIGENT
HUMAN-VEHICLE DETECTION
18.5CM*7CM*6CM/DC12V



(BIG CASE)

HK-IPC-BW5865UAP

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/BIG CASE/IP67
BLC/HLC/HDR/2DNR/H265/H265+
WDR/DEFOGGING/WARMLIGHT/POE
AUDIO/ANTIFLICKER/INTELLIGENT
HUMAN-VEHICLE DETECTION
31CM*9CM*8CM/DC12V



(BIG CASE)

HK-IPC-BW5860UAP

RESOLUTION : 5 MEGAPIXEL 25FPS
LENS : FIXED 3.6MM
METAL/BIG CASE/IP67
BLC/HLC/HDR/2DNR/H265/H265+
WDR/DEFOGGING/WARMLIGHT/POE
AUDIO/ANTIFLICKER/INTELLIGENT
HUMAN-VEHICLE DETECTION
30CM*9CM*8.5CM/DC12V



IP CAMERA



HK-IPC-DW5706UAP

RESOLUTION : 5 MEGAPIXEL 25FPS
 LENS : FIXED 3.6MM
 METAL/MEDIUM CASE/IP67
 BLC/HLC/HDR/2DNR/H265/H265+
 WDR/DEFOGGING/WARMLIGHT/POE
 AUDIO/ANTIFLICKER/INTELLIGENT
 HUMAN-VEHICLE DETECTION
 10.5CM*10.5CM*6CM/DC12V



HK-IPC-DW5703UAP

RESOLUTION : 5 MEGAPIXEL 25FPS
 LENS : FIXED 3.6MM
 PLASTIC/MEDIUM CASE
 BLC/HLC/HDR/2DNR/H265/H265+
 WDR/DEFOGGING/WARMLIGHT/POE
 AUDIO/ANTIFLICKER/INTELLIGENT
 HUMAN-VEHICLE DETECTION
 10.5CM*10.5CM*8.5CM/DC12V



HK-IPC-BW5760UA2P

RESOLUTION : 5 MEGAPIXEL 25FPS
 LENS : FIXED 3.6MM
 METAL/MEDIUM CASE/IP67
 BLC/HLC/HDR/2DNR/H265/H265+
 WDR/DEFOGGING/WARMLIGHT/POE
 AUDIO(IN-OUT)/ANTIFLICKER/INTELLIGENT
 HUMAN-VEHICLE DETECTION
 18.5CM*7CM*6CM/DC12V



HK-IPC-BW5760UAPSD

RESOLUTION : 5 MEGAPIXEL 25FPS
 LENS : FIXED 3.6MM
 METAL/MEDIUM CASE/IP67
 BLC/HLC/HDR/2DNR/H265/H265+
 WDR/DEFOGGING/WARMLIGHT/POE
 AUDIO/ANTIFLICKER/INTELLIGENT
 HUMAN-VEHICLE DETECTION
 SD SUPPORT
 18.5CM*7CM*6CM/DC12V



IP CAMERA



HK-IPC-B5710UA2P

RESOLUTION : 5 MEGAPIXEL 25FPS
 LENS : FIXED 3.6MM
 METAL/MEDIUM CASE/IP67
 BLC/HLC/HDR/2DNR/H265/H265+
 WDR/DEFOGGING/POE
 AUDIO(IN-OUT)/ANTIFLICKER/INTELLIGENT
 HUMAN-VEHICLE DETECTION
 19CM*7CM*7CM/DC12V



HK-IPC-BW8760KAP

RESOLUTION : 8 MEGAPIXEL 20FPS(4K)
 2MEGAPIXEL 60FPS
 LENS : FIXED 3.6MM
 METAL/MEDIUM CASE/IP67
 BLC/HLC/HDR/2DNR/3DNR/H265/H265+
 WDR/DEFOGGING/WARMLIGHT/POE
 AUDIO/ANTIFLICKER
 HUMAN VEHICLE DETECTION
 18.5CM*7CM*6CM/DC12V




WIRELESS CAMERA





HK-IPC-K2100WA2SD

RESOLUTION : 2 MEGAPIXEL
LENS : FIXED 3.6MM
SD SUPPORT (UP TO 128GB)
PLASTIC/MEDIUM CASE
IOS/ANDROID(TSEYE)
MOTION DETECTION
AUDIO IN/AUDIO OUT/PTZ
7.5CM*7.5CM*11CM






HK-IPC-K2200WA2SD

RESOLUTION : 2 MEGAPIXEL
LENS : FIXED 3.6MM
SD SUPPORT (UP TO 128GB)
PLASTIC/MEDIUM CASE
IOS/ANDROID(TSEYE)
MOTION DETECTION/WARMLIGHT
AUDIO IN/AUDIO OUT/PTZ
6.5CM*6.5CM*15CM



WIRELESS CAMERA



HIKAN

XVR



HK-XR-2104NMA1

4 CHANNEL/1080N
HDD:1 SATA PORT UP TO 6TB
AUDIO:1CH RCA/4CH AOC
H265/VGA/HDMI/5 IN 1
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
4CH(1080N(ANALOG),1080P(DIGITAL))
ALARM(MOTION DETECTION/VIDEO BLIND
VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:1920*1080(FULL HD)
25.5CM*21CM*4.5CM/DC12V



HK-XR-5104NMA1

4 CHANNEL/5MN
HDD:1SATA PORT UP TO 6TB
AUDIO:1CH RCA/4CH AOC
H265/VGA/HDMI/5 IN 1
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
**4CH(5MN-20(ANALOG),5M(DIGITAL))+
2CH 5M(DIGITAL)**
ALARM(SMD/IVS/MOTION DETECTION
VIDEO BLIND/VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:1920*1080(FULL HD)
25.5CM*21CM*4.5CM/DC12V



HK-XR-5108NMA1


8CHANNEL/5MN
HDD:1 SATA PORT UP TO 6TB
AUDIO:1CH RCA/8CH AOC
H265/VGA/HDMI/5 IN 1
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
8CH(5MN-12(ANALOG),5M(DIGITAL))
ALARM(FACE/HUMAN MOTION DETECTION
VIDEO BLIND/VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:1920*1080(FULL HD)
25.5CM*21CM*4.5CM/DC12V



HK-XR-8108KMA4


8CHANNEL/4K
HDD:1 SATA PORT UP TO 6TB
AUDIO:4CH RCA/8CH AOC
H265/VGA/HDMI/5 IN 1
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
**8CH(8MN(ANALOG),8M(DIGITAL))+
2CH 8M(DIGITAL)**
ALARM(FACE/HUMAN/MOTION DETECTION
VIDEO BLIND/VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:3840*2160(4K)
25.5CM*21CM*4.5CM/DC12V

XVR



HK-XR-5216NMA1

16 CHANNEL/5MN
HDD:2 SATA PORT UP TO 8TB
AUDIO:1CH RCA/16CH AOC
H265/VGA/HDMI/5 IN 1
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
**16CH(5MN-12(ANALOG),1080P(DIGITAL))+
2CH 1080P(DIGITAL)**
ALARM(MOTION DETECTION/VIDEO BLIND
VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:1920*1080(FULL HD)
33CM*24CM*5.5CM/DC12V



HK-XR-5232NMA1

32CHANNEL/5MN
HDD:2 SATA PORT UP TO 8TB
AUDIO:1CH RCA/32CH AOC
H265/VGA/HDMI/5 IN 1
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
**32CH(5MN-12(ANALOG),1080P(DIGITAL))+
2CH 1080P(DIGITAL)**
ALARM(MOTION DETECTION/VIDEO BLIND
VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:1920*1080(FULL HD)
33CM*24CM*5.5CM/DC12V




WWW.HIKANIRAN.COM

NVR




HK-NR-5108PMA8

4CHANNEL 8MP(4K)/8CHANNEL 5MP
HDD:1 SATA PORT UP TO 6TB
H265/VGA/HDMI/AUDIO
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
ALARM(IVS/SMD/FACE/VIDEO BLIND
VIDEO LOSS/ABNORMALITY)
**DISPLAY RESOLUTION:2560*1440
(QUAD HD)(2K)**
25.5CM*21CM*4.5CM/DC12V




HK-NR-8108KMA8

8CHANNEL 8MP(4K)/16CHANNEL 5MP
HDD:1 SATA PORT UP TO 6TB
H265/VGA/HDMI/AUDIO
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
ALARM(IVS/SMD/FACE/VIDEO BLIND
VIDEO LOSS/ABNORMALITY)
**DISPLAY RESOLUTION:2560*1440
(QUAD HD)(2K)**
25.5CM*21CM*4.5CM/DC12V



HK-NR-8216KMA16


16CHANNEL 8MP(4K)/32CHANNEL 5MP
HDD:2 SATA PORT UP TO 8TB
H265/VGA/HDMI/AUDIO
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
ALARM(IVS/SMD/MOTION DETECTION
VIDEO BLIND/VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:3840*2160(4K)
33CM*24CM*5.5CM/DC12V



HK-NR-8232KMA32

32CHANNEL 8MP(4K)
HDD:2 SATA PORT UP TO 8TB
H265/VGA/HDMI/AUDIO
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
ALARM(IVS/SMD/MOTION DETECTION
VIDEO BLIND/VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:3840*2160(4K)
25.5CM*21CM*4.5CM/DC12V

NVR



HK-NR-8464KMA64

64CHANNEL 8MP(4K)
HDD:4 SATA PORT UP TO 8TB
H265/VGA/HDMI/AUDIO
P2P SUPPORT IOS/ANDROID APP(TS EYE)
PC SOFTWARE (VMS)
ALARM(IVS/SMD/MOTION DETECTION
VIDEO BLIND/VIDEO LOSS/ABNORMALITY)
DISPLAY RESOLUTION:3840*2160(4K)
38CM*28CM*6CM/DC12V



CCTV ADAPTER HIKAN

INPUT POWER : 100-240V 0.8A
INPUT AC FREQUENCY : 50HZ/60HZ
OUTPUT VOLTAGE : DC12V
OUTPUT : 2.2A-2.8A/26W-33W

